

LEGENDS:

3542 #4 X 30'-0" @18"
FIELD CUT (TYP.)
LAP = 1'-3"
FOR 5" THK. PAVEMENT

3105 #4 X 30'-0" @18"
1335 #4 X 23'-8"
FIELD CUT (TYP.)
LAP = 1'-3"
FOR 6" THK. PAVEMENT






252 #3 X 30'-0" @24"
FIELD CUT (TYP.)
LAP = 1'-0"
FOR 4" THK. SIDEWALK

Release Number:				BAR LIST											
Bar Mark	Qty	Size	Total Length	Type	'A'	'B'	'C'	'D'	'E'	'F'	'G'	'H'	'I'	'J'	'K'
S50	1335	#4	23'-8"			23'-8"									
S64	3105	#4	30'-0"			30'-0"									
S65	252	#3	30'-0"			30'-0"									
S67	46	#3	30'-0"			30'-0"									
S42	3542	#4	30'-0"			30'-0"									

Bar list produced by RebarCAD 2019

Length

0



TYP. CONSTRUCTION JOINT

TYP. EXPANSION JOINT

- NOTES:
- 1) $F_c = 4,000$ PSI
 - 2) 4" SIDEWALK, #2 @24" U.O.N.
 - 3) 5" PAVEMENT, #4 @18" U.O.N.
 - 4) ALL REINFORCEMENT SHALL CONFORM TO ASTM-615 GRADE 60
 - 5) MIN LAP:
#3 = 1'-0"
#4 = 1'-3"
 - 6) PROVIDE CHAIR BARS MID-DETH OF SLAB

	DATE	
DWG. TITLE: SITE REINFORCEMENT PLAN (CONC. PAVEMENT AND ADD'L. REINF)		
JOB:		
LOCATION: PRINCETON, TEXAS		
ARCHITECT:		
GC:		DWG. No.
DRAWN BY:		